

INDEX MAPS.

T. 9^N, R. 2^E. 2nd Mer.

	320	320	319	319	319	319	318
323	6 327	5 332	4 336	3 340	2 345	1 346	318
	327	331	336	340	345	346	
322	7 326	8 331	9 335	10 339	11 345	12 318	
	326	330	335	339	344	345	
322	18 326	17 330	16 334	15 339	14 344	13 318	
	325	330	334	338	343	344	
322	19 325	20 329	21 334	22 338	23 343	24 317	
	324	329	333	338	342	342	
321	30 324	29 329	28 333	27 337	26 342	25 317	
	324	328	332	337	341	341	
321	31 323	32 328	33 332	34 336	35 341	36 317	
	315	315	316	316	316	316	

T. 10^N, R. 2^E. 2nd Mer.

	354	354	354	354	353	353
356	6 381	5 374	4 370	3 365	2 361	1 352
	381	380	374	369	365	360
356	7 380	8 373	9 369	10 364	11 360	12 352
	379	379	373	368	364	360
356	18 379	17 373	16 368	15 364	14 359	13 352
	378	378	372	368	363	359
355	19 377	20 372	21 367	22 363	23 358	24 351
	377	376	371	367	362	358
355	30 376	29 371	28 366	27 362	26 358	25 351
	376	375	370	366	362	357
355	31 375	32 370	33 366	34 361	35 357	36 351
	350	360	369	369	369	369

(*) The figures on the lines refer to the page.

Township N. 10 North, Range N. 2 E. I. Mer. Indiana

South Boundary

- West On S. boundary of Sec. 36 T10N. R2E.
 40.00 Set thw qt. Sec. post, from which
 a Beech 12 in. diam. bran N74E17^{1/2}ln. dist. of
 a Do 9 " " " N33E20 " "
 47.34 an Oak 18 in. diam.
 80.00 Set a post Cov. to Sect. 35 & 36 from which
 a Sugar 12 in. diam. bran N77E3^{1/2}ln. dist. of
 a Beech 7 " " " N66W99 " "
 Over broken land, timber Beech, Oak &c
-

- West On S. boundary of Sec. 35, T10N. R2E.
 40.00 Set thw qt. Sec. post, from which
 a Hickory 14 in. diam. bran N51E74^{1/2}ln. dist. of
 a Beech 14 " " " N14W70 " "
 64.37 a Beech 20 in. diam.
 80.00 Set a post Cov. to Sect. 34 & 35, from which
 an Oak 14 in. diam. bran N47W13^{1/2}ln. dist. of
 a Do 10 " " " N73E37 " "
 Over brushy, broken land timber Oak & Beech
-

- West On S. boundary of Sec. 34, T10N. R2E.
 39.50 a Brook 10^{1/2}ln. wide E. of T. E.
 40.00 Set thw qt. Sec. post, from which
 a Sugar 8 in. diam. bran N52E3^{1/2}ln. dist. of
 a Do 6 " " " N73W73 " "
 59.78 a B. Oak 24 "
 80.00 Set a post Cov. to Sect. 33 & 34, from which
 a Hickory 10 in. diam. bran N34W12^{1/2}ln. dist. of
 a Beech 14 " " " N53W11 " "
 Over brushy broken land, timber Oak &c.
-

West On S. boundary of Sec. 33, T10N. R2E

S10N R2E. I^o. Mer. Indiana

- 15.00 a W. Oak 24 in. dia.
 18.59 a Brook 4 lbs wide C.S. S.W.
 40.00 Set the q. Sec. post, from which
 an Ironwood 8 in. dia. bran S82E21 lbs. dist'd
 a Sugar 9 " " " " 187W24 " "
 62.60 a Maple 12 "
 68.00 a Brook 7 lbs wide C.S. S.W.
 80.00 Set a post Cov. to Sect. 32 & 33, from which
 Sugar 13 in. dia. bran N10E13 lbs. dist'd
 Gum 16 " " " " 14E7 " "
 over rolling land Oak &c.
-

- West On S. boundary of Sec. 32, S10N R2E.
 36.00 a Creek 14 in. dia.
 40.00 Set the q. Sec. post, from which
 a Walnut 20 in. dia. bran S75E45 lbs. dist'd
 a Beech 20 " " " N62W10 " "
 45.40 a Creek 50 lbs. wide C.S. North
 60.14 a W. Oak 18 in. dia.
 80.00 Set a post Cov. of Sect. 31 & 32, from which
 a Lynn 20 in. dia. bran N26W44 lbs. dist'd
 an Ash 14 " " " S75E18 " "
 over rolling land, timber, Beech, Oak &c.
-

- West On S. boundary of Sec. 31, S10N R2E.
 14.74 a Beech 18 in. dia.
 40.00 Set the q. Sec. post, from which
 a W. Oak 14 in. dia. bran S22W8 lbs. dist'd
 a Beech 13 " " " N75E27 " "
 54.09 a Gum 24 " "
 62.50 a Brook 7 lbs. wide C.S. S.W.
 69.70 Intersected the N & S. line between Range
 1 & 2 E, Town 9 & 10 N, at the cor. from which

MN R.R. Co. Ind. Indiana

a Sugar 12 in. dia. bran N 15° W 13 lbs. dist. of
a Beech 12 " " S 24° E 32 " "

Over level land, timber Beech &c.

June 21st 1819.

East Boundary val. 6.45' E

North On E. boundary of Sec. 36, T10 N. R2 E.

40.00 Set the q. Sec. post, from which

a Beech 8 in. dia. bran N 19° W 17 lbs. dist. of
a Do 10 " " S 22° W 9 " "

48.50 a Creek 25 lbs. wide C. S. N.W.

58.80 an Elm 12 in. dia.

80.00 Set a post cor. to Sect. 25 & 36, from which

a Spanish Oak 36 in. dia. bran N 6° E 32 lbs. dist. of
a Beech 20 " " N 50° E 15 " "

Over broken land, timber Beech, Oak &c.

North On E. boundary of Sec. 25, T10 N. R2 E.

2.62 a Poplar 40 in. dia.

40.00 Set the q. Sec. post, from which

a Hickory 18 in. dia. bran S 83° W 11 lbs. dist. of
a Beech 12 " " S 55° E 15 " "

50.00 a Beech 20 "

65.00 a Brook 15 lbs. wide C. S. N.E.

80.00 Set a post cor. to Sec. 24 & 25, from which

a W. Oak 16 in. dia. bran S 36° E 41 lbs. dist. of
a Beech 8 " " N 7° E 35 " "

Over rolling land, timber Oak, Beech &c.

North On E. boundary of Sec. 24, T10 N. R2 E.

9.74 a Sugar 20 in. dia.

40.00 Set the q. Sec. post, from which

a Beech 14 in. dia. bran S 21° E 9 lbs. dist. of

110 N - R.R. E. I. Mar. Indiana

a Beech 10 in. dia. bran N 60° W 20 lth. dist. of
 53.76 a Beech 12 " "
 70.00 a Creek 50 lth. wide C. S. W.
 80.00 Set a post Cor. to Sect. 13 & 14, from which
 a Beech 10 in. dia. bran S 40° E 8 lth. dist. of
 a Hickory 7 " " " N 20° E 17 " "
 Over broken land, timber Oak, Beech &c.

North On E. boundary of Sec. 13, 110 N. R.R.E.
 12.65 a Hickory 14 in. dia.
 40.00 Set the q. Sec. post from which
 a — 14 in. dia. bran S 3 E 30 lth. dist. of
 a Beech 6 " " " N 5 E 34 " "
 53.00 an Ash 30 " "
 67.74 a Brook 10 lth. wide C. S. N. E.
 80.00 Set a post Cor. to Sect. 12 & 13, from which
 a Beech 11 in. dia. bran S 17 E 23 lth. dist. of
 a do 9 " " " N 14 E 25 " "
 Over rolling land, timber, Beech, sugar Oak &c.

North On E. boundary of Sec. 12, 110 N. R.R.E.
 35.50 a Beech 20 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bran N 63 E 12 lth. dist. of
 a do - " " " S 13 E 6 " "
 80.00 Set a post Cor. to Sect. 1 & 13, from which
 a Beech 14 in. dia. bran - 28 lth. dist. of
 a sugar 14 " " " S 72 E 16 " "
 Over rolling land, timber, Beech, sugar &c

North On E. boundary of Sec. 1, 110 N. R.R.E.
 24.00 a Brook 5 lth. wide C. S. E.
 29.74 a Beech 20 in. dia. in the line

353

SW 1/4 N - R. 2 E. 2^d. Mer. Indiana

- 40.00 Set the q. Sec. post, from which
a Beech 10 in. dia. bran N 68° E 12 lbs. dist. of
a Do 12 " " " South 37 " .
- 52.59 a Beech 20 " "
- 61.00 a Brook 7 lbs. wide C. S. N. E.
- 86.87 Set a post Cor. to Township R. 10 & M. N. Range
N. 2 1/3 East, from which
a Hickory 15 in. dia. bran S 57° E 25 lbs. dist. of
a Do 12 " " " S 75° W 12 " "
Over broken land, timber Oak, Beech, Sugar &c.
-

North Boundary

- West On S. boundary of Sec. 36, SW 1/4 N. R. 2 E.
- 40.00 Set the q. Sec. post, from which
a Beech 8 in. dia. bran N 30° W 6 lbs. dist. of
a Do 9 " " " N 37° E 16 " "
- 80.00 Set a post Cor. to Sec. 35 & 36, SW 1/4 N. R. 2 E., from which
a T. Oak 20 in. dia. bran N 51° E 25 lbs. dist. of
a Beech 8 " " " I 30° W 5 " "
Over broken land, timber Beech, Oak &c.
-

West On S. boundary of Sec. 35, SW 1/4 N. R. 2 E.

- 16.15 a Brook 6 lbs. wide C. S. N.
- 38.00 a Do 6 lbs. " " N.
- 40.00 Set the q. Sec. post, from which
a Beech 18 in. dia. bran S 88° E 21 lbs. dist. of
a Do 12 " " " I 87° W 22 " .
- 70.41 a Brook 7 lbs. wide C. S. N.
- 80.00 Set a post Cor. to Sec. 34 & 35, SW 1/4 N. R. 2 E., from which
a Hickory 14 in. dia. bran S 71° W 28 lbs. dist. of
a Poplar 18 " " " N 76° E 45 " "
Over broken land, timber Oak, Beech &c.
-

S10 N RD E. 2^d. Mer. Indiana

West On S. boundary of Sec. 34, T11 N. R22 E.
 40.00 Set the q. Sec. post, from which
 a Hickory 12 in. dia. bran N7W10 lbs. dist. of
 a Sugar 18 " " J33E37 " "
 80.00 Set a post cor. to Sec. 33 & 34, T11 N. R22 E, from which
 an Ash 12 in. dia. bran N39W17 lbs. dist. of
 a Dogw. 7 " " N50E6 " "
 Over broken land, timber Oak, Beech &c. and spic &c.

West On S. boundary of Sec. 33, T11 N. R22 E.
 40.00 Set the q. Sec. post, from which
 a Hickory 20 in. dia. bran N71E20 lbs. dist. of
 a Beech 8 " " J52E8 " "
 80.00 Set a post cor. to Sec. 32 & 33, T11 N. R22 E, from which
 a Sugar 18 in. dia. bran N60W18 lbs. dist. of
 a Beech 9 " " J82E23 " "
 Land timber &c. same as on the last mile

West On S. boundary of Sec. 32, T11 N. R22 E.
 30.50 a Brook 10 lbs. wide C.S. M.M.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bran J9W13 lbs. dist. of
 a Loc 6 " " J70W5 " "
 80.00 Set a post cor. to Sec. 31 & 32, T11 N. R22 E, from which
 a W. Oak 20 in. dia. bran J37E5 lbs. dist. of
 a Hickory 13 " " J52E7 " "
 Over broken land, timber Oak, Beech &c.

West On S. boundary of Sec. 31, T11 N. R22 E.
 40.00 Set the q. Sec. post, from which
 an Ash 13 in. dia. bran N62E21 lbs. dist. of
 a — 14 " " J73W47 " "
 42.50 a Brook 15 lbs. wide C.S. M.M.

335

110 N - R 2 E. 2^d Mer. Indiana

75.91 Intersected the Range line between Range
1 & 2 E, Town 10 N. at the corner of Sec.
1, 6, 31 & 36. Over broken land, timber Oak,
Beech &c. June 30th. 1819.

West Boundary var. 6.45' E.

North On E. boundary of Sec. 36, 110 N. R 1 E
14.50 at Beech 14 in. diam.
30.50 a Creek 100 ft. wide C. S. W.
40.00 Set the q. Sec. post, from which
at Beech 10 in. diam. bran S 30° W 19 ft. dist. of
a Beech 10 " " " N 7° W 24 " "
58.50 a P. Oak 18 " "
80.00 Set a post Cor. to Sec. 25 of 36, 110 N. R 1 E, from which
at Beech 10 in. diam. bran S 29° E 28 ft. dist. of
a Hickory 10 " " " S 75° W 4 " "
Over level land timber Beech &c.

North On E. boundary of Sec. 25, 110 N. R 1 E.

6.50 a Poplar 40 in. diam.
40.00 Set the q. Sec. post, from which
at Beech 13 in. diam. bran N 44° W 5 ft. dist. of
a Dogwood 7 " " " S 25° E 22 " "
57.12 a Beech 18 " "
80.00 Set a post Cor. to Sec. 24 & 25, 110 N. R 1 E, from which
a Gum 22 in. diam. bran S 37° E 8 ft. dist. of
a Beech 14 " " " N 11° E 19 " "
Over rolling land, timber Oak, Beech &c.

North On E. boundary of Sec. 24, 110 N. R 1 E

15.00 a Brook 8 ft. wide C. S. E.
28.00 a Beech 14 in. diam.
40.00 Set the q. Sec. post, from which

T10 N R21 E. I^o. Mer. Indiana

- a Beech 14 in. dia. bran S8 E 18 lbs. dist. of
 a Walnut 12 " " " N33 E 37 " .
 60.00 at Brook 10 lbs. wide C. I. S. E.
 62.05 a Beech 14 in. dia. in the line
 80.00 Set a post Cor. to Sec. 13 & 24, T10 N. R21 E. from which
 a Beech 18 in. dia. bran N42 W 18 lbs. dist. of
 a Poplar 36 " " " S41 W 17 " "
 Over broken land, timber Oak, Beech &c.
-

North On E. boundary of Sec. 13, T10 N. R21 E.

- 40.00 Set the qt. Sec. post, from which
 a Lynn 14 in. dia. bran N18 E 28 lbs. dist. of
 61.50 a Brook 8 lbs. wide C. I. S. E.
 80.00 Set a post Cor. to Sec. 12 & 13, T10 N. R21 E. from which
 an Oak 13 in. dia. bran N8 W 11 lbs. dist. of
 a Do 9 " " " S54 W 6 " "
 Over brushy broken land, timber Oak &c.
-

North On E. boundary of Sec. 12, T10 N. R21 E.

- 23.00 a Brook 5 lbs. wide C. I. S. E.
 40.00 Set the qt. Sec. post, from which
 a W. Oak 18 in. dia. bran N19 E 44 lbs. dist. of
 a Log w^o 6 " " " S82 W 6 " "
 80.00 Set a post Cor. to Sec. 13 & 12, T10 N. R21 E. from which
 a W. Oak 8 in. dia. bran N14 W 3 lbs. dist. of
 a Do 6 " " " S46 W 12 " "
 Over broken brushy land, timber Oak &c.
-

North On E. boundary of Sec. 1, T10 N. R21 E.

- 25.00 a W. Oak 10 in. dia. in the line
 40.00 Set the qt. Sec. post from which
 a W. Oak 24 in. dia. bran S35 W 64 lbs. dist. of
 no more convenient.

357

110 N. Rd E. 2nd Mer. Indiana

- 52.38 a W. Oak 40 in. dia. in the line
 85.00 Set a post corner of Township N. 10, 11 N. Range
 N. 1/2 E., from which
 a Beech 10 in. dia. bears N 68° W 12 l.h.s. dist. &
 a Sugar 12 " " S 81° E 18 " "
 Over broken land, timber Oak &c. June 24th 1819
 Surveyed by John M. McDonald, L. S.

Comp

- Subdivision. Jan. 31st 1830
 North Between Sec. 35 & 36, 110 N. Rd E. 2nd Mer.
 18.00 a B. Oak 28 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a W. Oak 28 in. dia. bears S 63° W 46 l.h.s. dist. &
 a Hickory 22 " " N 77° E 28 " "
 61.50 a Hickory 8 " " in the line
 80.00 Set a post Cor. to Sec. 25, 26, 35 & 36 from which
 a Beech 5 in. dia. bears S 76° W 17 l.h.s. dist. &
 a Do 12 " " N 32° E 11 " "
 Land hilly & poor, timber W. Oak, Beech &
 Hickory, under ^{the} Ironwood & Dogwood.

- East On Random between Sec. 25 & 36, 110 N. Rd E.
 27.50 a Brook 50 l.h.s. wide arm, N 80° W
 40.00 Set temp. q. Sec. post
 79.20 Intersected the E. boundary 30 l.h.s. N. of corner
 Level 2^d. east land, timber W. Oak, Beech
 & Sugar, undergrowth Spruce &c

- West On true line between Sec. 25 & 36, 110 N. Rd E.
 39.90 Set q. Sec. post at average dist. from which
 a Sugar 7 in. dia. bears S 34° E 24 l.h.s. dist. &
 a Gum 12 " " N 11° W 12 " "
 79.20 to Sec. corner.

S10 N R2 E. 2nd Mer. Indiana

- North Between Sec. 25 & 26, S10 N, R2 E.
- 12.50 a stream 50 lbs. wide runs West
18.92 a Beech 8 in. dia. in the line
40.00 Set the q. Sec. post, from which
a Sugar 7 in. dia. bran N72 E 11 lbs. dist. of
a Beech 7 " " " N29 W 9 " "
55.70 a Beech 16 " " in the line
80.00 Set a post cor. to Sec. 23, 24, 25 & 26, from which
a Beech 5 in. dia. bran N89 E 29 lbs. dist. of
an Elm 15 " " " N60 F W 49 " "
Uneven 2nd rateland, timber poplar, W. Oak,
Sugar & Beech, underg. Dogwood & Spice
-

- East On Random between Sec. 24 & 25, S10 N, R2 E.
- 40.00 Set tempy. q. Sec. post
79.68 Intersected the E. boundary 38 lbs. S. of corner
Uneven 2nd rateland, timber W. Oak, Poplar,
Sugar & Beech, underg. Dogwood, Iron Spice
-

- West On true line between Sec. 24 & 25, S10 N, R2 E.
- 39.84 Set the q. Sec. post at average dist. from which
a Beech 7 in. dia. bran S10 E 35 lbs. dist. of
a loco 10 " " " N59 W 11 " "
79.68 to Sec. corner February 1st 1820
-

- North Between Sec. 23 & 24, S10 N, R2 E.
- 6.50 a Brook 40 lbs. wide N40 W
24.08 a Poplar 48 in. dia. in the line
40.00 Set the q. Sec. post, from which
a Beech 14 in. dia. bran N79 E 14 lbs. dist. of
a sugar 12 " " " N80 W 36 " "
60.67 a Beech 7 " " in the line
80.00 Set a post cor. to Sec. 13, 14, 23 & 24, from which

20

MON. R. & E. T. Mer. Indiana

a Beech 7 in. dia. bran 135 E 14 lhr. dist. of
 a Maple 14 " " " 159 W 33 " "
 Land uneven 2nd rate land, timber Poplar, Sugar & Beech,
 underg. Spice &c.

East On Random between Sec. 13 & 24, T. 10 N. R. 2 E.

19.50 a Brook 8 lhr. wide Cr. South

40.00 Set temp. of. Sec. post

42.50 a Brook 10 lhr. wide Cr. S 15 E.

79.90 Intersected the E. boundary 8 lhr. N. of corner.
 Land uneven 2nd rate, timber Poplar, Sugar,
 & Beech, underg. Spice & Ironwood.

West On true line between Sec. 13 & 24, T. 10 N. R. 2 E.

39.95 Set the q. Sec. post at average dist. from which
 a Sugar 5 in. dia. bran 155 W 13 lhr. dist. of
 a Beech 13 " " " S 10 E 2 " "

79.90 to Sec. corner

North Between Sec. 13 & 14, T. 10 N. R. 2 E.

15.63 a Beech 26 in. dia. in the line

40.00 Set the q. Sec. post, from which

a B. Oak 15 in. dia. bran S 89 E 23 lhr. dist. of
 a Beech 8 " " " 174 W 40 " "

51.50 a Brook 6 lhr. wide Cr. S 40 W

52.50 Same 6 " " " S 35 E.

60.15 a Beech 7 in. dia. in the line

80.00 Set a post Cr. to Sec. 11, 12, 13 & 14, from which
 a Hickory 11 in. dia. bran S 15 E 14 lhr. dist. of
 a Do 12 " " " 183 W 11 " "

Land uneven 2nd rate, timber, W. Oak, Poplar,
 Beech & Hickory, underg. Ironwood & Spice

MON-REED, Indiana

East On Random 12 & 13, 110 N. R.R.E.

40.00 Settlem't. of Sec. post

40.10 at Brook 12 lbs. wide run S 10 E.

80.00 intersected the East boundary 15 lbs. S. of corner
Land uneven & 2nd rate, timber, Poplar, Sugar
& Beech, under ^{the} Spice.

West On true line between Sec. 12 & 13, 110 N. R.R.E.

40.00 Settlem't. of Sec. post at average dist. from which
a Sugar 10 in. dia. bran S 7 W 15 lbs. dist. of
an Elm 9 " " " N 47 E 35 " "

80.00 to Sec. Corner Feb. 2^d 1820

North Between Sec. 11 & 12, 110 N. R.R.E.

14.85 a P. Oak 26 in. dia. in the line

34.80 at Brook 8 lbs. wide C. S 70 E.

40.00 At the of Sec. post, from which
a Sugar 7 in. dia. bran S 20 W 29 lbs. dist. of
a Beech 13 " " " N 26 W 16 " "

57.75 an Ash 18 " " in the line

61.70 at Brook 6 lbs. dist. wide S 60 E

80.00 At a post cov. to Sec. 1, 2, 11, 12, from which
a Sugar 10 in. dia. bran S 61 E 22 lbs. dist. of
a Do 10 " " " N 89 W 10 " "

Land uneven & 2nd rate, timber Poplar, Hickory
P. Oak & Sugar, under Hornwood, Dogwood, etc.

East On Random between Sec. 1 & 12, 110 N. R.R.E.

40.00 Settlem't. of Sec. post

80.00 intersected the E. boundary 8 lbs. N. of corner
Land uneven & 2nd rate, timber Poplar, Hickory
Sugar & Beech, under ^{the} Spice

West On true line between Sec. 1 & 12, 110 N. R.R.E.

361

~~110 N R 2 E 2^d~~ Mer. Indiana

- 40.00 Set q. Sec. post at average dist. from which
a Beech 11 in. diam. bran 151 & 25 lbs. dist. of
a Do 10 " " " N 86° W 30 " "
- 80.00 to Sec. corner
-

- North Between Sec. 1 & 2, 110 N. R. 2 E., 2^d Mer.
25.75 a Hickory 13 in. diam. in the line
40.00 Set the q. Sec. post, from which
a Poplar 10 in. diam. bran 121 & 26 lbs. dist. of
an Ash 7 " " " N 36° W 19 " "
69.04 a Beech 5 " " in the line
86.65 Intersected the N. boundary 82 lbs. H. off;
Cor. to Sec. 35 & 36 in the adjacent township
Set a post. Cor. to Sec. 1 & 2, from which
a Beech 8 in. diam. bran N 71° W 11 lbs. dist. of
a W. Oak 12 " " " 139 E 29 " "
Land broken soil 2nd rate, timber Poplar, Sugar,
Beech & Hickory, underg. Spice & Hogwood
-

February 3rd 1820

- North Between Sec. 34 & 35, 110 N. R. 2 E.
- 21.50 a Gum 14 in. diam. in the line
40.00 Set the q. Sec. post, from which
a W. Oak 12 in. diam. bran 136 W 29 lbs. dist. of
a R. Oak 14 " " " 153 E 15 " "
54.10 a Sugar 14 in. diam. in the line
57.50 a stream 70 lbs. wide C.R. S 80 W
80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
a Beech 5 in. diam. bran 183 1/4 lb 32 lbs. dist. of
a Do 14 " " " N 79 E 32 " "
Land hilly, broken & poor, timber Mf R. Oak,
Hickory & Beech, underg. W. Oak, Hickory, Hornwood.
-

110 N - 122 E. 2nd Mer. Indiana

East On Random between Sec. 26 & 35, 110 N. 122 E.

9.00 a Brook 7 lbs. wide Cr. 110 E.
23.10 a Do 10 " " 130 W
32.50 a stream 70 lbs. " " 15 E.
40.00 Set tempf. of See. post
64.50 a Brook 6 lbs. wide Cr. 110 W.
79.50 intersected the N & S. line 40 lbs. N. of the corner
Land level of 2nd rate, timber Beech, Sugar & Hickory,
undergrowth Spice.

West On true line between Sec. 26 & 35, 110 N. 122 E.

39.75 Set gr. See. post at average dist. from which
a Sugar 11 in. diam. bran 1189 E 34 lbs. dist. of
a Beech 9 " " 144 W 17 " "
79.50 to See. corner.

North Between Sec. 26 & 27, 110 N. 122 E.

20.00 a Beech 14 in. diam. in the line
40.00 Set the gr. See. post, from which
a Beech 11 in. diam. bran 110 E 60 lbs. dist. of
a Do 9 " " 1183 W 11 " "
52.20 a Sugar 10 " " in the line
80.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which
a Walnut 18 in. diam. bran 122 E 9 lbs. dist. of
a Beech 7 " " 119 W 18 " "
Land uneven & 2nd rate, timber W. Oak, Sugar
& Beech, underg. Spice

East On Random between Sec. 23 & 26, 110 N. 122 E.

21.00 a Brook 20 lbs. wide Cr. 110 E.
40.00 Set tempf. of See. post
67.10 a Brook 8 lbs. wide 180 W
78.00 a Do 40 lbs. " 140 W

363

10 N - R. 2 E. I. Mer. Indiana

80.00 Intercepted the N. & S. line 52 lbs. N. of corner
Land uneven & 2nd rate, timber W. Oak, Sugar,
Poplar & Beech, under ^{the} Dogwood & Spice

West On trace line between Sec. 7 & 26, 10 N. R. 2 E.
40.00 Set q. Sec. post at average dist. from which
a W. Oak 26 in. diam. bran 189 & 50 lbs. diam. of
a Sugar 13 " " " N 67 M 50 " "
80.00 to Sec. corner

North Between Sec. 7 & 23, 10 N. R. 2 E

33.10 a Poplar 48 in. diam. in the line
40.00 Set the q. Sec. post, from which
a W. Oak 13 in. diam. bran 14½ E 62 lbs. diam. of
a Beech 7 " " " N 81 M 9 " "
57.18 a W. Oak 8 " " in. the line
80.00 Set a post Cn. to Sec. 14, 15, 22 & 23, from which
a W. Oak 9 in. diam. bran N 16 E 3 lbs. diam. of
a Do 15 " " " N 16 M 26 " "
Land uneven & 2nd rate, timber, W. Oak & B. Oak
Hickory & Beech, under ^{the} Dogwood & Spice

East On Random between Sec. 14 & 23, 10 N. R. 2 E

33.00 a Brook 6 lbs. wide Cn. 140 E.
39.20 a Do 12 " " " N 5 M 11
40.00 Set temp. q. Sec. post
79.75 Intercepted the N. & S. line 22 lbs. N. of corner.
Land timber &c. same as on the last mile.

West On trace line between Sec. 14 & 23, 10 N. R. 2 E.
39.87 Set q. Sec. post, at average dist. from which
a Sycamore 18 in. diam. bran 152 M 56 lbs. diam. of
a Do 12 " " " N 2 M 41 " "

W.M. R. & E. Co. Mer. Indiana

79.75 to Sec. Corner. Feb. 4th. 1820

North Between Sec. 14 & 15, 110 N. 122 E.

17.10 a Sugar 10 m. dia. in the line

40.00 Set the gr. Sec. post, from which

at Beech 15 m. dia. bran 123 ft 18 in. dist. of
a Gum 10 " " " 153 ft 26 " "

51.68 a W. Oak 24 " " in the line

80.00 Set a post cor. to Sec. 10, 11, 14 & 15, from which
a Beech 30 m. dia. bran 138 ft 12 in. dist. of
a Beech 6 " " " 168 ft 19 " "

Land uneven & 2nd rate, timber W. & B. Oak, hick.,
Sugar & Beech, underl. Ironwood & Dogwood.

East On Random between Sec. 11 & 14, 110 N. 122 E.

40.00 Set temp. of Sec. post

43.50 at Brook 6 hrs. wide Ct. 140 E.

51.00 a also 6 hrs. " " 15 E.

79.68 Intersected the N. S. line 19 hrs. N. of corner
Land timber &c. same as over the last mile

West On true line between Sec. 10 & 14, 110 N. 122 E.

39.84 Set gr. Sec. post at average dist. from which
a Poplar 16 m. dia. bran 165 ft 31 in. dist. of
a Sugar 5 " " " 168 ft 9 " "

79.68 to Sec. Corner.

North Between Sec. 10 & 11, 110 N. 122 E.

12.90 a W. Oak 22 m. dia. in the line

31.50 at Brook 8 hrs. wide Ct. 135 ft.

39.50 a also 8 hrs. " " 150 E.

40.00 Set the gr. Sec. post, from which

at Beech 10 m. dia. bran 181 ft 37 in. dist. of

365

N.W. - R.R. E. & W. Mer. Indiana

- a Beech 18 in. dia. bray N⁷⁹W 28 lbs. dist.
 40.10 a Brook 8 lbs. wide C.S. S²⁰W
 40.75 Same 8 lbs. " " S⁴⁰E
 53.85 a Hickory 10 in. dia. in the line
 80.00 Set a post Cor. to Sect. 2, 3, 10 & 11, from which
 a Beech 11 in. dia. bray N⁶⁴W 32 lbs. dist. of
 a do 13 " " N³³W 11 " "
 Land uneven & D²rate, timber, Poplar, Sugar &
 Beech, underg. Dogwood & Spice
-

- East On Random between Sect. 2 & 11, N.W. R.R.E.
 40.00 Set temporary qf. Sec. post
 69.50 a Brook 6 lbs. wide C.S. S³⁰E.
 80.00 Intersected the N. of S. line 33 lbs. S. of corner
 Uneven D²rate land, timber beech, poplar & sugar
-

- West On true line between Sect. 2 & 11, N.W. R.R.E.
 40.00 Set qf. Sec. post at average dist. from which
 a Beech 12 in. dia. bray N⁸³W 32 lbs. dist. of
 a do 9 " " S⁵⁹E 3 " "
 80.00 to Sec. corner
-

- North Between Sect. 2 & 3, N.W. R.R.E. 2^o Mer.
 26.50 a Beech 10 in. dia. in the line
 40.00 Set the qf. Sec. post, from which
 a Hickory 14 in. dia. bray N⁶⁴W 11 lbs. dist. of
 a Poplar 36 " " S²¹E 30 " "
 60.35 a Hickory 15 " " in the line
 87.25 Intersected the N. boundary 200 lbs. W. of cor.
 Set a post Cor. to Sect. 2 & 3, from which
 a P.C. Oak 24 in. dia. bray S⁸¹E 9 lbs. dist. of
 a W. Oak 13 " " West 30 " "
 Land broken Soil D²rate Poplar, sugar, Hick., Beech
-

W. N. R. & E. D. Mer. Indiana

February 5th 1820

North Between Sec. 33 & 34, T10 N, R22 E

18.50 a Beech 11 m. dia. in the line

40.00 set the q. Sec. post, from which

a W. Oak 14 m. dia. bran N 3 E 11 m. dist. of

a Do 15 " " " N 10 E 3 " "

57.00 a stream 100 ft. wide N 30 W

61.50 a Beech 16 m. dia. in the line

80.00 set a post cor. to Sec. 27, 28, 33 & 34, from which

a Sugar 14 m. dia. bran N 71 E 41 m. dist. of

a Beech 6 " " " 159 W 6 " "

Land hilly & poor, timber W. Oak & Beech
undergrowth, Dogwood & Hornwood.

East On Random between Sec. 27 & 34, T10 N, R22 E,

33.50 a Brook 20 ft. wide E. S. 20 E

40.00 set tempy. q. Sec. post

79.64 intersected the N & S. line 86 ft. S. of corner.

Land uneven & rated timber Poplar, Angor,
Beech, underg. Dogwood, Hornwood & Spice

West On true line between Sec. 27 & 34, T10 N, R22 E.

39.87 set q. Sec. post, from which

a Beech 5 m. dia. bran N 24 E 20 ft. dist. of

a W. Oak 14 " " " 159 W 14 " "

79.64 to Sec. corner.

North Between Sec. 27 & 28, T10 N, R22 E.

17.60 a Beech 9 m. dia. in the line

40.00 set the q. Sec. post, from which

a Beech 13 m. dia. bran N 15 1/2 W 10 ft. dist. of

a Do 15 " " " 141 E 31 " "

55.60 a Beech 12 " " in the line

N.W. - R.R. E. 1st Mer., Indiana

- 68.50 at Brook 10 lbs. wide C.S. 160 W
 80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
 a Sugar 12 in. dia. bran N 53° W 33 lbs. dist. of
 a Do 6 " " 154 E 11 " "
 Land Broken Soil 2nd rate, timber Poplar, Sugar,
 Beech, underg. Dogwood & Ironwood

- East On Random between Sec. 22 & 27, N.W. 1st Mer.
 3.00 a Brook 10 lbs. wide runs South
 33.00 a Do 10 lbs. " " 145 E
 40.00 Set tempf. of Sec. post
 62.50 a Brook 20 lbs. wide C.S. 15 E.
 79.90 Intersected the N.W. line 58 lbs. S. of corner.
 Land uneven & 2nd rate, timber, Poplar, W. Oak,
 Beech & Sugar, underg. Ironwood & Spice etc

- West On true line between Sec. 22 & 27, N.W. 1st Mer.
 39.95 Set of Sec. post at average dist. from which
 a Beech 9 in. dia. bran N 11° W 35 lbs. dist. of
 a W. Oak 18 " " 111 E 58 " .
 79.90 to Sec. Cor.

- North Between Sec. 21 & 22, N.W. 1st Mer.
 20.60 at Beech 7 in. dia. on the line
 40.00 Set the of Sec. post, from which
 a B. Oak, 30 in. dia. bran 186 E 54 lbs. dist. of
 a Sugar 9 " " N 77° W 22 " "
 54.35 a Maple 12 " " with line
 62.00 a Brook 10 lbs. wide C.S. 15 E.
 80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 10 in. dia. bran 155 W 39 lbs. dist. of
 a Hickory 12 " " 111 E 36 " "
 Land timber &c same as on the last mile

West R.R. E. I. Mer. Indiana

East On Random between Sec. 15 & 22, Dist. R.R.E.
 40.00 at tempf. of Sec. post
 45.90 a Brook 15 ft. wide S. S. 15 97
 79.80 intersected the N. & S. line 32 ft. N. of corner
 Land uneven & 2nd rate, timber W. Oak, Beech,
 & Sugar, under Ironwood & Dogwood

West On true line between Sec. 15 & 22, Dist. R.R.E.
 39.90 at q. Sec. post at average dist. from which
 a W. Oak 18 in. dia. bran S. 28° 21' W. dist. of
 a Do 20 " " " N. 40° E. 15 " "
 79.80 to Sec. Corner. February 8th. 1825

North Between Sec. 16 & 15, Dist. R.R.E.
 28.60 at Beech 10 in. dia. in the line
 40.00 at the q. Sec. post, from which
 a Hickory 13 in. dia. bran S. 45° W. 46 ft. dia. of
 a Do 18 " " " N. 81° E. 45 " "
 54.00 a W. Oak 20 " " in the line
 80.00 at a post on to Sec. 9, 10, 15 & 16, from which
 a Sugar 13 in. dia. bran S. 32° E. 7 ft. dia. of
 a Do 12 " " " N. 88° W. 71 " "
 Land uneven 2nd rate, timber W. B. Oak, Sugar,
 & Hickory, under Ironwood & Dogwood

East On Random between Sec. 10 & 15, Dist. R.R.E.
 23.70 at Brook 20 ft. wide N. E.
 40.00 at tempf. q. Sec. post
 65.50 at Brook 10 ft. wide S. 30° W.
 79.80 intersected the N. & S. line 18 ft. N. of the corner
 Land uneven & 2nd rate, timber Poplar, Sugar &
 Beech, under Ironwood & Dogwood

M. N. R. R. E. D., Mer. Indiana

West On the line between Sec. 10 & 15, West R.R.E.
 39.91 Set q. Sec. post at average dist. from which
 a Beech 8 in. dia. bran N^W 7^E 1/2 ch. dist. of
 a Sugar 6 " " " 160 E 11 " "
 79.82 to Sec. Corner.

North Between Sec. 9 & 10, West R.R.E. D., Mer.
 17.04 a Hickory 7 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Sugar 10 in. dia. bran N^W 8^E 1/2 ch. dist. of
 a do 8 " " " 143 E 9 " "
 41.50 a Brook 6 ch. wide run East
 48.50 a do 6 ch. " " 130 E
 53.70 a W. Oak 8 in. dia. in the line
 80.00 Set a post Cov. to Sec. 3, 4, 9 & 10, from which
 an Elm 11 in. dia. bran S^W 1/2 ch. dist. of
 a Beech 12 " " " 113 W 13 " "
 Land hilly & poor, timber W^N 1/3. Oak thick,
 underg. Ironwood & Dogwood

East On Random between Sec. 3 & 10, West R.R.E.
 13.30 a Brook 8 ch. wide C^S. 15 E.
 19.50 a do 6 " " . 15 W
 40.00 Set temp. q. Sec. post
 42.00 a Brook 8 ch. wide C^S. 140 W.
 79.62 Intersected the N^E S. line 8 3/4 ch. N. of the corner
 Land hilly soil 2nd rate, timber W^N 1/3. Oak, hick.,
 Sugar, underg. Ironwood & Dogwood

West On the line between Sec. 3 & 10, West R.R.E.
 39.81 Set q. Sec. post at average dist. from which
 a Beech 6 in. dia. bran N^W 9^E 1/2 ch. dist. of
 an Elm 10 " " " 126 E 39 " "

Stock R.R. E. I. Mer Indiana

79.60 to Section Corner.

North Between Sec. 36 & 41, 510 N. R.R.E. I. Mer.
 26.00 at Brook 8 ft. wide rung S^o 20^E
 27.75 at Beech 11 m. dia. in the line
 40.00 set the q. Sec. post, from which
 a W. Oak 17 m. dia. bran S^o 6 E 35 ft. dist. of
 a do 11 " " N^o 259718 " "
 56.50 a Hickory 14 " " in the line
 84.00 intersected with N. boundary 380 ft. N. of the
 corner, set a post Cor. to Sec. 36 & 41, from which
 a Sugar 4 m. dia. bran S^o 88^W 10 ft. dia. dist. of
 an Ash 10 " " S^o 88 E 31 " "
 Land hilly & poor, timber W. Oak, Hickory, Beech,
 underl. Dogwood & Hornwood

February 9th 1870

North between Sec. 32 & 33, 510 N. R.R.E. I. Mer.
 17.30 a W. Oak 18 in. dia. in the line
 40.00 set the q. Sec. post, from which
 a W. Oak 6 m. dia. bran S^o 5 E 32 ft. dist. of
 a do 10 " " N^o 7351061 " "
 54.42 a stream 125 ft. wide rung S^o 70^W
 63.50 a Beech 18 m. dia. in the line
 70.80 a stream 125 ft. wide S^o 20^E.
 80.00 set a post Cor. to Sec. 28, 29, 32 & 33, from which
 a W. Walnut 11 m. dia. bran S^o 56 E 24 ft. dia. dist. of
 an Elm 8 " " S^o 85^W 10 ft. " "
 Land part hilly & poor & part bottom, timber
 W. Oak, Hickory & Beech, underl. Dogwood & Hornwood.

East On Random between 28 & 33, 510 N. R.R.E.
 5.50 a stream 125 ft. wide N^o 85477

371

Mt. R.V.E. I. Mer. Indiana

- 40.00 Set tempf. of Sec. post, from which
 40.00 the last mentioned stream 125 lbs. wide \$70 W
 69.30 Same stream C. S. NW W.
 79.62 Intersected the N. S. line 60 lbs. N. of corner
 Land level & 2nd rate, timber Beech, Sugar
 W. Oak & Hickory, under ^{the} spruce
-

- West On true line between Sect. 28 & 33, Twp. N. R.R.E.
 39.81 Set q. Sec. post at a ravage dist. ^{in creek} from which
 a Sycamore 17 in. dia. bran \$28 E 53 lbs. dist. of
 a Sugar 15 " " " \$74 E 52 " "
 79.62 Sec. corner
-

North Between Sect. 28 & 29, Twp. N. R.R.E. I. Mer.

- 1.00 a stream 125 lbs. wide runs West
 18.50 a Brook 8 lbs. " " \$30 W
 32.15 a Beech 12 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Sugar 12 in. dia. bran \$22 E 67 lbs. dist. of
 a Ho 14 " " " \$84 W 20 " "
 41.50 a Brook 20 lbs. wide \$5 W
 46.60 a Sugar 14 in. dia. in the line
 55.00 a Brook 20 lbs. wide \$30 E
 57.50 Same 20 lbs. " \$45 W
 60.00 Same 20 " " \$35 E
 65.50 Same 20 " " \$30 W
 80.00 Set a post cor. to Sect. 20, 21, 28 & 29, from which
 a Beech 12 in. dia. bran \$56 W 26 lbs. dist. of
 an Ash 28 " " " \$58 W 14 " "
 Land level & 2nd rate, timber Beech, sugar & Ash
-

- East On Random between Sect. 21 & 28, Twp. N. R.R.E.
 0.50 a Brook 20 lbs. wide \$30 E.

H.O.R. RD E. D. Mer. Indiana

- 22.00 a Brook 6 lbs. wide C.P. \$5 W
 40.00 Set tempf. of Sec. post
 47.80 a Brook 8 lbs. wide C.P. \$10 E
 79.82 Intersected the N.H.S. line 160 lbs. N. of corner
 Land hilly & poor, timber W. Oak, Hickory & Beech,
 underg. Dogwood & Ironwood.
-

- West On true line between Sec. 21 & 28, H.O.R. RD E.
 39.91 Set q. Sec. post at average dist. from which
 a Beech 7 in. dia. bran N 41° E 18 lbs. dist. of
 a B. Oak 30 " " " West 18 " "
 79.82 to Section Corner
-

- North Between Sec. 20 & 21, H.O.R. RD E.
 17.40 a B. Oak 40 in. dia. with line
 40.00 Set the q. Sec. post, from which
 a Beech 5 in dia. bran S 14° W 31 lbs. dist. of
 a sugar 7 " " " N 13° E 27 " "
 54.20 a sugar 10 " " with line
 59.50 a Brook 6 lbs. wide \$40 E.
 80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
 a Beech 6 in. dia. bran N 47° W 27 lbs. dist. of
 a sugar 10 " " " S 42° E 7 " "
 Land uneven & Dr. late, timber W. Oak, sugar,
 & Beech, underg. Dogwood. Feb. 10. 1820
-

- East On Random between Sec. 16 & 21, H.O.R. RD E.
 7.50 a Brook 12 lbs. wide C.P. South
 40.00 Set tempf. of Sec. post
 75.50 a Brook 12 lbs. wide C.P. \$5 E.
 80.20 Intersected the N.H.S. line 24 lbs. S. of corner.
 Land hilly & poor, timber W. B. Oak, Hickory
 underg. Dogwood & Ironwood
-

373

110 N. R.R. E. I., Mer., Indiana

West On true line between Sec. 16 & 21, 110 N. R.R.E.
 40.10 Set q. Sec. post at average dist. from which
 a Beech 13 mi. dia. bran N 49° E 18 lbs. dist. of
 an Ash 14 " " " 138 ft 29 " "
 80.70 to Sec. Corner.

North Between Sec. 16 & 17, 110 N. R.R.E.
 19.20 a Beech 6 mi. dia. in the line
 40.00 Set the q. Sec. post, from which
 a W. Oak 30 mi. dia. bran S 81° E 16 lbs. dist. of
 a Sugar 12 " " " 149 ft 37 " "
 53.50 a W. Oak 11 " " in the line
 55.50 a Brook 8 lbs. wide 15 E.
 80.00 Set a post Cont. to Sec. 8, 9, 16 & 17, from which
 a Hickory 18 mi. dia. bran S 3 E 43 lbs. dist. of
 a Sugar 6 " " " 146 ft 35 " "
 Land hilly Soil 2^o slope, timber W. F. B. Oak, Hick.,
 & Beech, underly. Dogwood & Ironwood

East On Random between Sec. 9 & 16, 110 N. R.R.E.
 40.00 Set temp. q. Sec. post
 80.34 intersected the N.Y.S. line 128 lbs. S. of corner
 Land, timber &c. same as on the east side

West On true line between Sec. 9 & 16, 110 N. R.R.E.
 40.17 Set q. Sec. post at average dist. from which
 a Sassafras 10 mi. dia. bran S 7 E 43 lbs. dist. of
 a Dogwood 6 " " " 171 ft 40 " "
 80.34 to Sec. corner

North Between Sec. 8 & 9, 110 N. R.R.E.
 13.80 a Brook 6 lbs. wide 170 ft.
 18.33 a Beech 6 mi. dia. in the line

West RD E. I. Mer. Indiana

- 40.00 Set the q. Sec. post, from which
an Elm 9 in. dia. bran N 60° E 22 lbs. dist. of
a sugar 7 " " " 183 ft 30 "
- 41.00 a Brook 6 lbs. wide C. S. 10 ft
- 72.40 a Beech 17 in. dia. in the line
- 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
a W. Oak 9 in. dia. bran N 21° W 17 lbs. dist. of
a Beech 7 " " " 141 ft 7 "
- Land hilly soil 2^d rate, timber W. Oak, hickory
Beech & sugar, underg. Dogwood & sassafras
-

- East On Random between Sec. 4 & 9, Twp. N. R. 2 E.
- 22.40 a Brook 8 lbs. wide C. S. 130 ft
- 40.00 Set temp. q. Sec. post
- 80.28 Intersected the N. of S. line 70 lbs. S. of corner.
Land hilly & poor, timber W. Oak & hickory
underg. Dogwood & sassafras
-

- West On true line between Sec. 4 & 9, Twp. N. R. 2 E.
- 40.14 Set q. Sec. post at average dist. from which
a Gum 15 in. dia. bran 130 ft 30 lbs. dist. of
a Beech 11 " " " 151 ft 32 "
- 80.28 to Sec. corner.
-

- North Between Sec. 4 & 5, Twp. N. R. 2 E.
- 29.23 a Beech 5 in. dia. in the line
- 40.00 Set the q. Sec. post, from which
a Beech 6 in. dia. bran 126 ft 40 lbs. dist. of
a Do 13 " " " 174 ft 10 "
- 52.90 a Brook 6 lbs. wide C. S. 110 ft
- 57.73 a Beech 10 in. dia. in the line
- 67.70 a Brook 8 lbs. wide C. S. 110 ft
- 84.25 Intersected the N. boundary 481 lbs. N. of post

M.W. R.P. E. I. Mr. Indiana

Set a post, cor. to Sec. 4 & 5, from which
a Beech 12 in. dia. bran 184 $\frac{1}{2}$ ft. 19 lbs. dist. of
a do 6 " " N 77° W 22° " "
Land hilly soil 2^o rate, timber W. Oak, Sugar
of Hickory, underg. Dogwood & Ironwood.

February 11th 1820

North Between Sec. 31 & 32, 5th R. N. 12th E.

24.88 a Sugar 6 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Beech 24 in. dia. bran 120 ft. 46 lbs. dist. of
a do 12 " " N 81° W 41° "

46.75 at Brook 40 lbs. wide Q.S. N 20° W

62.00 a Beech 10 in. dia. in the line

68.00 a stream 125 lbs. wide 160 ft

80.00 Set a post cor. to Sec. 29, 30, 31 & 32, from which
a Beech 4 in. dia. bran 18 $\frac{1}{2}$ ft. 20 lbs. dist. of
a do 13 " " North 40 " "

Uneven 2^o rate land, timber W. Oak, Sugar &
Beech, underg. Dogwood & Ironwood

East On Random lots, Sec. 29 & 32, 5th R. N. 12th E.

20.00 a stream 40 lbs. wide augs 120 E

40.00 Set tempf. q. Sec. post

75.00 a stream 125 lbs. wide 15 E.

79.32 Intersected the N. & S. line 60 lbs. S. of corner

Land uneven 2^o rate, timber W. Oak, Sugar and
Beech, underg. Dogwood, Ironwood & Spice

West On true line between Sec. 29 & 32, 5th R. N. 12th E.

39.66 Set q. Sec. post at average dist. from which
a Sugar 8 in. dia. bran 126 ft. 18 lbs. dist. of
a do 6 " " N 39° W 19 " "

S10 N R2 E. D. Mer. Indiana

79.32 to Sec. corner

West Between Sec. 30 & 31, S10 N. R2 E.
 11.90 a Brook 7 lbs. wide runs N40°E
 14.10 a Beech 5 in. dia. in the line
 40.00 Set the gr. sec. post from which
 a Beech 15 in. dia. bran N87°E 31 lbs. dist. of
 a Gum 26 " " " N72°W21 " "
 44.00 a Brook 8 lbs. wide C. S10 E.
 60.00 a Beech 10 in. dia. in the line
 70.60 intersected the W. boundary 105 lbs. S. of corner
 Set a post Cor. to Sec. 30 & 31, from which
 a Sugar 18 in. dia. bran N61°E 17 lbs. dist. of
 a W. Oak 16 " " " N39°W49 " "
 uneven 2nd rate land, timber W. Oak, Sugar
 & Beech, underly. Dogwood & Ironwood

North Between Sec. 29 & 30, S10 N. R2 E.
 38.00 a Beech 11 in. dia. in the line
 40.00 Set the gr. sec. post, from which
 a Beech 6 in. dia. bran N6°E 38 lbs. dist. of
 a Ho 10 " " " N38°E 18 " "
 54.22 a sycamore 22 " " in the line
 55.50 a stream 40 lbs. wide runs N40°E.
 80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which
 a Beech 18 in. dia. bran N49°W20 lbs. dist. of
 a Ho 16 " " " N61°E 15 " "
 Land, timber &c. same as on the last mile

East On Random between Sec. 20 & 29, S10 N. R2 E.
 40.00 Set tempf. gr. sec. post
 67.70 a Brook 8 lbs. wide C. S140°E.
 79.30 intersected the N & S. line 28 lbs. N. of the corner

SW N - 1/8 2 E. 2^d. Mer. Indiana

Sand hill Soil 2' slate, timber W. Oak,
Sugar, Beech & Poplar, underly. Sycamore, Hornbeam.

West On true line between Sec. 20 & 29, West R.R. E.
39.65 Set q. Sec. post at average dist. from which
a P. Oak 30 in. diam. bran N 61° E 27 ft. dist. of
a do 36 " " N 37° W 15 " "
79.30 to Sec. corner Feb. 12th, 1890

West Between Sec. 19 & 30, West R.R. E.
9.00 a stream 40 ft. wide N 15° E.
29.95 an Ash 18 in. diam. in the line
40.00 Set the q. Sec. post, from which
a Hickory 9 in. diam. bran N 20° E 45 ft. dist. of
a P. Oak 8 " " N 47° W 9 " "
57.70 a Beech 10 " " in the line
66.00 a Brook 8 ft. wide runs N 15° E.
69.75 Intercepted the W. boundary at the corner
Sand hill Soil 2' slate, timber W. & P. Oak
Sugar & Beech, underly. Hornbeam & Dogwood

North Between Sec. 19 & 20, West R.R. E.
14.75 a Sugar 16 in. diam. in the line
20.00 a stream 40 ft. wide N 10° W
35.00 Same 40 " " S 50° E.
40.00 Set the q. Sec. post, from which
a Beech 6 in. diam. bran N 20° E 52 ft. dist. of
a do 13 " " N 47° W 33 " "
56.60 a Brook 8 ft. wide N 40° W
66.00 a Poplar 30 in. diam. in the line
66.50 a stream 40 ft. wide C. S. N 45° W
79.50 Same 40 ft. " " S 20° E
80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
an Elm 5 in. diam. bran N 46° E 53 ft. dist. of

W.M. R.D.E. 2nd Mer. Indiana

an Elm 18 in. dia., bran N 34° E 26 lbs. dist. of
Land uneven & 2nd rate part bottom, timber
W. Oak, Poplar, Sugar, Beech & Ash, undg.th
Ironwood and Spice.

East On Random between Sec. 17 & 20, Twp. N. R. 2 E.
40.00 At tempf. of Sec. post
65.60 at Brook 6 lbs. wide S 7° N 60° E.
79.38 Intersected the N. of S. line 130 lbs. N. of corner.
Land hilly & broken Soil 3rd rate, timber Poplar
Sugar, Beech & W. Oak, undg.th Iron & Dogwood

West On true line between Sec. 17 & 20, Twp. N. R. 2 E.
39.69 At qf. Sec. post at average dist. from which
a Beech 12 in. dia. bran S 57° W 28 lbs. dist. of
a Slo 13 " " " N 62° W 29 " "
79.38 to Sec. corner.

West Between Sec. 18 & 19, Twp. N. R. 2 E.
0.25 at Brook 40 lbs. wide S 20° E.
15.25 a Beech 8 in. dia. in the line
28.00 at Brook 20 lbs. wide S 57° E.
40.00 At the qf. Sec. post, from which
a W. Oak 8 in. dia. bran N 45° W 9 lbs. dist. of
a Slo 18 " " " N 71° E 18 " .
52.12 a Hickory 12 " " in the line
70.00 Intersected the west boundary 55 lbs. N. of the corner
At a post Cor. to Sec. 18 & 19, from which
a Beech 9 in. dia. bran S 88° E 16 lbs. dist. of
a Slo 7 " " " N 36° W 11 " .
Land hilly Soil 3rd rate, timber W. Oak, Hickory,
Beech & Sugar, undg.th Ironwood & Dogwood.

10 N R 12 E. I. Mer. Indiana

North Between Sec. 17 & 18, 10 N. R. 12 E.

13.29 a Beech 8 in. diam. in the line

16.50 a Brook 30 lbs. wide N 45 W.

40.00 a Elm 10 in. diam. q. sec. from which
a Sugar 6 in. diam. bran N 2 E 30 lbs. dist.

46.70 a Brook 10 lbs. wide E. S. 15 E.

64.25 a Hickory 16 in. diam. in the line

80.00 Set a post cor. to Sec. 7, 8, 17 & 18, from which
a Beech 7 in. diam. bran S 34 E 26 lbs. dist. of
a Hickory 7 " " " N 24 W 21 " "

Uneven 2^d rate land timber. W. Oak, Hickory, Beech,
Sugar, undergrowth Dogwood & Ironwood

East On Random between Sec. 8 & 17, 10 N. R. 12 E.

18.00 a Brook 7 lbs. wide E. S. 145 E.

24.50 a Do 25 lbs. " " S 20 W.

40.00 Set temp. q. sec. post

80.00 Intersected the N. & S. line 77 lbs. N. of the corner.
Land hilly 2^d rate, timber W. Oak, Hickory &
Beech, undergrowth Dogwood & Ironwood

West On true line between Sec. 8 & 17, 10 N. R. 12 E.

40.00 Set q. sec. post at average dist. from which
a Beech 7 in. diam. bran N 59 W 22 lbs. dist. of
a W. Oak 14 " " " S 29 W 16 " "

80.00 to Sec. corner February 14th, 1820

West Between Sec. 7 & 18, 10 N. R. 12 E.

18.30 a Beech 10 in. diam. in the line

25.30 a Brook 8 lbs. wide E. S. S 30 W.

33.00 a Do 8 " " " S 85 E.

40.00 Set the q. sec. post, from which
a P. Oak 17 in. diam. bran East 30 lbs. dist. of

MON. R.R.E. I². Mer. Indiana

at Beech 5 in. diam. bran N 84° W 36 lbs. dist. of
 52.70 a Chestnut Oak 30 in. diam. in the line
 69.50 Intersected the N. boundary 100 ft. N. of the corner
 Set a post Cor. to Sec. 7 & 8, from which
 a Chestnut Oak 17 in. diam. bran N 21° E 15 lbs. dist. of
 a Do 12 " " " 116 lbs 10 " "
 Land hilly & poor, timber W. Oak, Gum & Beech
 underg. W. Oak, Dogwood & Ironwood

North Between Sec. 7 & 8, MON. R.R.E.
 16.60 a Beech 18 in. diam. in the line
 40.00 Set the q. Sec. post, from which
 a W. Oak 13 in. diam. bran 150 lbs 50 lbs. dist. of
 a Do 12 " " " 160 lbs 17 " "
 54.80 a W. Oak 15 " " in the line
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
 a W. Oak 16 in. diam. bran N 70° 1/2 W 38 lbs. dist. of
 a Do 18 " " " 172 lbs 30 " "
 Land hilly & poor, timber W. Oak, Hickory &
 Beech, underg. W. Oak, Dogwood & Ironwood

East On Random between Sec. 5 & 8, MON. R.R.E.
 40.00 Set temp. q. Sec. post
 60.50 a Brook 8 lbs. wide Cor. 170 lbs.
 80.00 Intersected the N. S. line 110 ft. N. of the corner
 Land timber &c. same as on the last mile

West On true line between Sec. 5 & 8, MON. R.R.E.
 40.00 Set q. Sec. post at average dist. from which
 a W. Oak 30 in. diam. bran N 54° 1/2 E 40 lbs. dist.
 a W. Oak 6 " " " 154 lbs 36 " "
 80.00 to Sec. corner.

Conf²

381

W.D.R.R.E.I. Mer. Indiana

West Between Sec. 6 & 7, W.D.R.R.E.
 13.60 a Hickory 12 in. diam. in the line
 40.00 At the q. Sec. post, from which
 a Chestnut Oak 12 in. diam. bran N 25 E 34 ft. dist. th
 a Do 6 " " 127^{ft} 24 " "
 52.00 a Poplar 12 in. diam. in the line
 68.38 Intersected the W. boundary 126 ft. N. of post.
 At a post cor. to Sec. 6 & 7, from which
 a W. Oak 7 in. diam. bran N 7 E 41 ft. dist. th
 a Do 7 " " 12^{ft} 819 " "
 Land very hilly poor & thickly timbered. W. Oak,
 Hickory, and th W. Oak, Hickory & Hornwood

North Between Sec. 5 & 6, W.D.R.R.E.

25.07 a W. Oak 16 in. diam. in the line
 40.00 At the q. Sec. post, from which
 a Chestnut Oak 9 in. diam. bran N 45 E 44 ft. dist. th
 a Do 12 " " 118^{ft} 27 " "
 52.40 a Beech 15 in. diam. in the line
 66.00 a Brook - 10 ft. wide C.S. 185^{ft}
 82.50 Intersected the N. boundary 600 ft. W. of post.
 At a post cor. to Sec. 5 & 6, from which
 a W. Oak 6 in. diam. bran S 74 E 53 ft. dist. th
 a B. Oak 8 " " 183^{ft} 4 " "
 Land hilly & poor, timber W. & B. Oak, Hickory,
 Beech, and th W. Oak, Hickory. Dogwood & Hornwood
 Surveyed by James Hodges, Dep. Sur.

I Certify that the foregoing transcript of field notes of
Township N^o. 10 N. Range N^o. 2 East I^o. Mer. Indiana
has been Comp^r? with the original Notes in this office and
found to be Correct.

Surveyor General's Office
Cincinnati. March 8th 1848

Q. S. LeQuire
Sur. Genl